

Préparations et noms des substances	Grandeur d'emballage	Dosage par unité	Unité	Stock au début de la période considérée	Entrées	Sorties	Stock à la fin de la période considérée
ACTIQ® 200 (Fentanyl-citrat), cp à sucer	3	314	µg				0
ACTIQ® 200 (Fentanyl-citrat), cp à sucer	30	314	µg				0
ACTIQ® 400 (Fentanyl-citrat), cp à sucer	3	628	µg				0
ACTIQ® 400 (Fentanyl-citrat), cp à sucer	30	628	µg				0
ACTIQ® 600 (Fentanyl-citrat), cp à sucer	3	942	µg				0
ACTIQ® 600 (Fentanyl-citrat), cp à sucer	30	942	µg				0
ACTIQ® 800 (Fentanyl-citrat), cp à sucer	3	1256	µg				0
ACTIQ® 800 (Fentanyl-citrat), cp à sucer	30	1256	µg				0
ACTIQ® 1200 (Fentanyl-citrat), cp à sucer	3	1885	µg				0
ACTIQ® 1200 (Fentanyl-citrat), cp à sucer	30	1885	µg				0
ACTIQ® 1600 (Fentanyl-citrat), cp à sucer	3	2513	µg				0
ACTIQ® 1600 (Fentanyl-citrat), cp à sucer	30	2513	µg				0
CONCERTA® (Methylphenidat-hydrochlorid, anhydrid), comprimés	30	18	mg				0
CONCERTA® (Methylphenidat-hydrochlorid, anhydrid), comprimés	60	18	mg				0
CONCERTA® (Methylphenidat-hydrochlorid, anhydrid), comprimés	30	36	mg				0
CONCERTA® (Methylphenidat-hydrochlorid, anhydrid), comprimés	60	36	mg				0
CONCERTA® (Methylphenidat-hydrochlorid, anhydrid), comprimés	30	54	mg				0
CONCERTA® (Methylphenidat-hydrochlorid, anhydrid), comprimés	60	54	mg				0
DIHYDROCODEINON STREULI® (Hydrocodon-tartrat), comprimés	100	10	mg				0
DIHYDROCODEINON STREULI® (Hydrocodon-tartrat), comprimés	20	10	mg				0
DIHYDROCODEINON STREULI® (Hydrocodon-tartrat), comprimés	20	5	mg				0
DIHYDROCODEINON STREULI® (Hydrocodon-tartrat), comprimés	100	5	mg				0
DUROGESIC® Matrix 12µg/h (Fentanyl), patch	5	1.2	mg				0
DUROGESIC® Matrix 25µg/h (Fentanyl), patch	5	2.5	mg				0
DUROGESIC® Matrix 50µg/h (Fentanyl), patch	5	5	mg				0
DUROGESIC® Matrix 75µg/h (Fentanyl), patch	5	7.5	mg				0
DUROGESIC® Matrix 100µg/h (Fentanyl), patch	5	10	mg				0
FENTANYL CURAMED® (Fentanyl-citrat), 2 ml, solution injectable	10	0.05	mg/ml				0
FENTANYL CURAMED® (Fentanyl-citrat), 2 ml, solution injectable	5 x 10	0.05	mg/ml				0

FENTANYL CURAMED® (Fentanyl-citrat), 10 ml, solution injectable	10	0.05	mg/ml					0
FENTANYL CURAMED® (Fentanyl-citrat), 10 ml, solution injectable	5 x 10	0.05	mg/ml					0
FENTANYL-JANSSEN® (Fentanyl-citrat), 2 ml, solution injectable	50	0.05	mg/ml					0
FENTANYL-JANSSEN® (Fentanyl-citrat), 10 ml, solution injectable	50	0.05	mg/ml					0
FORTALGESIC® (Pentazocin), 1 ml, solution injectable	5	30	mg/ml					0
FORTALGESIC® (Pentazocin), 1 ml, solution injectable	25	30	mg/ml					0
FORTALGESIC® (Pentazocin), 2 ml, solution injectable	10	30	mg/ml					0
FORTALGESIC® (Pentazocin), supp.	10	50	mg					0
FORTALGESIC® (Pentazocin), compr.	20	50	mg					0
FORTALGESIC® (Pentazocin), compr.	100	50	mg					0
HYDROCODEINON® (Hydrocodon-hydrochlorid, hydrat), gouttes	10	5	mg/ml					0
HYDROCODEINON® (Hydrocodon-hydrochlorid, hydrat), gouttes	20	5	mg/ml					0
HYDROMORPHON (Hydromorphon), 1ml, solution injectable	1	2	mg					
HYDROMORPHON (Hydromorphon), supp.	1	2.5	mg					
KAPANOL® (Morphin-sulfat, pentahydrat), caps.	60	20	mg					0
KAPANOL® (Morphin-sulfat, pentahydrat), caps.	60	50	mg					0
KAPANOL® (Morphin-sulfat, pentahydrat), caps.	60	100	mg					0
KETALGIN® (Methadon-hydrochlorid, anhydrid), 1 ml, solution injectable	100	10	mg/ml					0
KETALGIN® (Methadon-hydrochlorid, anhydrid), 1 ml, solution injectable	10	10	mg/ml					0
KETALGIN® (Methadon-hydrochlorid, anhydrid), supp.	5	10	mg					0
KETALGIN® (Methadon-hydrochlorid, anhydrid), supp.	25	10	mg					0
KETALGIN® (Methadon-hydrochlorid, anhydrid), compr.	20	5	mg					0
KETALGIN® (Methadon-hydrochlorid, anhydrid), compr.	200	5	mg					0
KETALGIN® (Methadon-hydrochlorid, anhydrid), compr.	1000	5	mg					0
L-POLAMIVET® ad us.vet.(Levomethadon-hydrochlorid), amp.	100	2.5	mg/ml					0
MEDIKINET® (Methylphenidat-hydrochlorid, anhydrid), compr.	20	5	mg					
MEDIKINET® (Methylphenidat-hydrochlorid, anhydrid), compr.	50	5	mg					
MEDIKINET® (Methylphenidat-hydrochlorid, anhydrid), compr.	100	5	mg					
MEDIKINET® (Methylphenidat-hydrochlorid, anhydrid), compr.	20	10	mg					

MEDIKINET® (Methylphenidat-hydrochlorid, anhydrid), compr.	50	10 mg				
MEDIKINET® (Methylphenidat-hydrochlorid, anhydrid), compr.	100	10 mg				
MEDIKINET® (Methylphenidat-hydrochlorid, anhydrid), compr.	20	20 mg				
MEDIKINET® (Methylphenidat-hydrochlorid, anhydrid), compr.	50	20 mg				
MEDIKINET® (Methylphenidat-hydrochlorid, anhydrid), compr.	100	20 mg				
Methadon-HCL 0.1% anhydrid AMINO, solution orale (ml)	1'000	1 g/l				
Methadon-HCL 0.2% anhydrid AMINO, solution orale (ml)	1'000	2 g/l				
Methadon-HCL 0.2% anhydrid AMINO, orale Lösung (ml)	10'000	20 g				
Methadon-HCL 0.5% anhydrid AMINO, solution orale (ml)	100	0.5 g/100 ml				
Methadon-HCL 0.5% anhydrid AMINO, solution orale (ml)	1'000	5 g/l				
Methadon-HCL 1% anhydrid AMINO, solution orale (ml)	1'000	10 g/l				
Methadon-HCL 1% anhydrid AMINO, solution orale (ml)	3'000	30 g/l				
Methadon-HCL 1%, anhydrid STREULI, solution orale (ml)	50	0.5 g/50 ml				
Methadon-HCL 1%, anhydrid STREULI, solution orale (ml)	100	1 g/100 ml				
Methadon-HCL 2%, anhydrid STREULI, solution orale (ml)	50	1 g/50 ml				
Methadon-HCL 2%, anhydrid STREULI, solution orale (ml)	100	2 g/100 ml				
Methadon-HCL 5%, anhydrid STREULI, solution orale (ml)	50	2.5 g/50 ml				
Methadon-HCL 5%, anhydrid STREULI, solution orale (ml)	100	5 g/100 ml				
Methadon-HCL, anhydrid, poudre	1	5 g				
Methadon-HCL, anhydrid, poudre	1	10 g				
Methadon-HCL, anhydrid, poudre	1	50 g				
Methadon-HCL, anhydrid, poudre	1	100 g				
Methadon-HCL, anhydrid, poudre	1	200 g				
Methadon-HCL, anhydrid, poudre	1	500 g				
Methadon-HCL, anhydrid, poudre	1	1 kg				
Methadon-HCL, anhydrid, poudre	1	5 kg				
Methadon-HCL, anhydrid, poudre	1	10 kg				
Methadon-HCL anhydrid, AMINO supp.	10	5 mg				
Methadon-HCL anhydrid, AMINO supp.	50	5 mg				
Methadon-HCL anhydrid, AMINO supp.	10	20 mg				
Methadon-HCL anhydrid, AMINO supp.	50	20 mg				
Methadon-HCL anhydrid, AMINO supp.	10	30 mg				
Methadon-HCL anhydrid, AMINO supp.	50	30 mg				
Methadon-HCL anhydrid, AMINO supp.	10	40 mg				
Methadon-HCL anhydrid, AMINO supp.	50	40 mg				
Methadon-HCL anhydrid, AMINO supp.	10	50 mg				
Methadon-HCL anhydrid, AMINO supp.	50	50 mg				
Methadon-HCL anhydrid, AMINO supp.	10	75 mg				

Methadon-HCL anhydrid, AMINO supp.	50	75	mg				
Methadon-HCL anhydrid, AMINO supp.	10	100	mg				
Methadon-HCL anhydrid, AMINO supp.	50	100	mg				
Methadon-HCL anhydrid, AMINO supp.	50	125	mg				
Methadon-HCL anhydrid, AMINO supp.	50	150	mg				
Methadon-HCL anhydrid, AMINO supp.	100	1	mg				
Methadon-HCL anhydrid, AMINO supp.	1'000	1	mg				
Methadon-HCL anhydrid, AMINO supp.	100	10	mg				
Methadon-HCL anhydrid, AMINO supp.	1'000	10	mg				
Methadon-HCL anhydrid, AMINO supp.	10	20	mg				
Methadon-HCL anhydrid, AMINO supp.	100	20	mg				
Methadon-HCL anhydrid, AMINO supp.	1'000	20	mg				
Methadon-HCL anhydrid, SINTETICA amp. 1 ml	10	10	mg/ml				
Methadon-HCL anhydrid, STREULI amp. 1 ml	5	10	mg/ml				0
Methadon-HCL anhydrid, STREULI amp. 1 ml	10	10	mg/ml				0
Methadon-HCL anhydrid, STREULI amp. 1 ml	100	10	mg/ml				0
Methadon-HCL anhydrid, STREULI, supp.	10	10	mg				0
Methadon-HCL anhydrid, STREULI, compr.	20	5	mg				0
Methadon-HCL anhydrid, STREULI, compr.	100	5	mg				0
Methadon-HCL anhydrid, STREULI, compr.	500	5	mg				0
Morphin-sulfat AMINO, compr.	100	100	mg				
Morphin-sulfat AMINO, compr.	100	200	mg				
Morphin-HCL 0.04% AMINO, amp. 10 ml	10	0.4	mg/ml				
Morphin 0.1%, solution orale	5'000	5	g				
Morphin 1%, solution orale	50	0.5	g				
Morphin 1%, solution orale	100	1	g				
Morphin 1%, solution orale	200	2	g				
Morphin 1%, solution orale	5'000	50	g				
Morphin 2%, solution orale	1	20	mg				
Morphin 4%, solution orale	1	40	mg				
Morphin 5%, solution orale	1	50	mg				
Morphin-HCL 1% AMINO, amp. 1 ml	10	10	mg/ml				
Morphin-HCL 1% AMINO, amp. 1 ml	100	10	mg/ml				
Morphin-HCL 2% AMINO, amp. 1 ml	10	20	mg/ml				
Morphin-HCL 2% AMINO, amp. 1 ml	100	20	mg/ml				
Morphin-HCL 2% AMINO, amp. 10 ml	10	20	mg/ml				
Morphin-HCL 2% AMINO, amp. 10 ml	100	20	mg/ml				
Morphin-HCL 5% AMINO, amp. 50 ml	1	50	mg/ml				
Morphin-HCL BICHSEL, 1 ml, solution inj.	10	10	mg/ml				
Morphin-HCL BICHSEL, 1 ml, solution inj.	100	10	mg/ml				
Morphin-HCL BICHSEL, 10 ml, solution inj.	10	10	mg/ml				
Morphin-HCL BICHSEL, 10 ml, solution inj.	100	10	mg/ml				
Morphin-HCL SINTETICA, 2 ml, solution inj.	10	2	mg/2 ml				

Morphin-HCL SINTETICA, 0.5 ml, solution inj.	10	5	mg/0.5 ml				
Morphin-HCL SINTETICA, 1 ml, solution inj.	10	10	mg/ml				
Morphin-HCL SINTETICA, 10 ml, solution inj.	10	100	mg/10 ml				
Morphin-HCL STREULI, 1 ml, solution inj.	10	10	mg/ml				
Morphin-HCL STREULI, 1 ml, solution inj.	100	10	mg/ml				
Morphin-HCL STREULI, 1 ml, solution inj.	10	20	mg/ml				
Morphin-HCL STREULI, 1 ml, solution inj.	100	20	mg/ml				
Morphin-HCL STREULI, 1 ml, solution inj.	10	50	mg/ml				
Morphin-HCL STREULI, 1 ml, solution inj.	100	50	mg/ml				
M-RETARD HELVEPHARM®, compr.	30	10	mg				0
M-RETARD HELVEPHARM®, compr.	60	10	mg				0
M-RETARD HELVEPHARM®, compr.	30	30	mg				0
M-RETARD HELVEPHARM®, compr.	60	30	mg				0
M-RETARD HELVEPHARM®, compr.	60	60	mg				0
M-RETARD HELVEPHARM®, compr.	30	100	mg				0
M-RETARD HELVEPHARM®, compr.	30	200	mg				0
MST CONTINUS®-10 (Morphin-sulfat, pentahydrat), compr. ret.	60	10	mg				0
MST CONTINUS®-100 (Morphin-sulfat, pentahydrat), compr. ret.	30	100	mg				0
MST CONTINUS®-100 (Morphin-sulfat, pentahydrat), supp. ret.	24	100	mg				0
MST CONTINUS®-100 (Morphin-sulfat, pentahydrat), suspension ret.	30	100	mg				0
MST CONTINUS®-20 (Morphin-sulfat, pentahydrat), suspension ret.	30	20	mg				0
MST CONTINUS®-200 (Morphin-sulfat, pentahydrat), compr. ret.	30	200	mg				0
MST CONTINUS®-200 (Morphin-sulfat, pentahydrat), supp.	24	200	mg				0
MST CONTINUS®-200 (Morphin-sulfat, pentahydrat), suspension ret.	30	200	mg				0
MST CONTINUS®-30 (Morphin-sulfat, pentahydrat), compr. ret.	60	30	mg				0
MST CONTINUS®-30 (Morphin-sulfat, pentahydrat), supp. ret.	24	30	mg				0
MST CONTINUS®-30 (Morphin-sulfat, pentahydrat), suspension ret.	30	30	mg				0
MST CONTINUS®-60 (Morphin-sulfat, pentahydrat), compr. ret.	30	60	mg				0
MST CONTINUS®-60 (Morphin-sulfat, pentahydrat), supp. ret.	24	60	mg				0
MST CONTINUS®-60 (Morphin-sulfat, pentahydrat), suspension ret.	30	60	mg				0
OXYCONTIN® 5 mg (Oxycodonhydrochlorid, anhydrid), compr. retard	30	5	mg				
OXYCONTIN® 5 mg (Oxycodonhydrochlorid, anhydrid), compr. retard	60	5	mg				
OXYCONTIN® 10 mg (Oxycodonhydrochlorid, anhydrid), compr. retard	30	10	mg				0
OXYCONTIN® 10 mg (Oxycodonhydrochlorid, anhydrid), compr. retard	60	10	mg				0

OXYCONTIN® 20 mg (Oxycodon-hydrochlorid, anhydrid), compr. retard	30	20 mg					0
OXYCONTIN® 20 mg (Oxycodon-hydrochlorid, anhydrid), compr. retard	60	20 mg					0
OXYCONTIN® 40 mg (Oxycodon-hydrochlorid, anhydrid), compr. retard	30	40 mg					0
OXYCONTIN® 40 mg (Oxycodon-hydrochlorid, anhydrid), compr. retard	60	40 mg					0
OXYCONTIN® 80 mg (Oxycodon-hydrochlorid, anhydrid), compr. retard	30	80 mg					0
OXYCONTIN® 80 mg (Oxycodon-hydrochlorid, anhydrid), compr. retard	60	80 mg					0
OXYNORM® (Oxycodon-hydrochlorid, anhydrid), gouttes	30	10 mg/ml					
PALFIVET® ad us.vet. (Dextromoramid-tartrat), 1 ml, solution inj.	5	5 mg/ml					0
PALLADON® (Hydromorphon-hydrochlorid, anhydrid), caps.	30	1.3 mg					
PALLADON® (Hydromorphon-hydrochlorid, anhydrid), caps.	60	1.3 mg					
PALLADON® (Hydromorphon-hydrochlorid, anhydrid), caps.	30	2.6 mg					
PALLADON® (Hydromorphon-hydrochlorid, anhydrid), caps.	60	2.6 mg					
PALLADON® RETARD (Hydromorphon-hydrochlorid, anhydrid), caps. ret.	30	4 mg					
PALLADON® RETARD (Hydromorphon-hydrochlorid, anhydrid), caps. ret.	60	4 mg					
PALLADON® RETARD (Hydromorphon-hydrochlorid, anhydrid), caps. ret.	30	8 mg					
PALLADON® RETARD (Hydromorphon-hydrochlorid, anhydrid), caps. ret.	60	8 mg					
PALLADON® RETARD (Hydromorphon-hydrochlorid, anhydrid), caps. ret.	30	16 mg					
PALLADON® RETARD (Hydromorphon-hydrochlorid, anhydrid), caps. ret.	60	16 mg					
PALLADON® RETARD (Hydromorphon-hydrochlorid, anhydrid), caps. ret.	30	24 mg					
PALLADON® RETARD (Hydromorphon-hydrochlorid, anhydrid), caps. ret.	60	24 mg					
PETHIDIN HCl AMINO® (Pethidin-hydrochlorid, anhydrid), 2 ml, solution inj.	10	50 mg/ml					
PETHIDIN HCl AMINO® (Pethidin-hydrochlorid, anhydrid), 2 ml, solution inj.	100	50 mg/ml					
PETHIDIN HCl BICHSEL® (Pethidin-hydrochlorid, anhydrid), 2 ml, solution inj.	10	25 mg/ml					0
PETHIDIN HCl BICHSEL® (Pethidin-hydrochlorid, anhydrid), 2 ml, solution inj.	100	25 mg/ml					0
PETHIDIN HCl BICHSEL® (Pethidin-hydrochlorid, anhydrid), 2 ml, solution inj.	10	50 mg/ml					0
PETHIDIN HCl BICHSEL® (Pethidin-hydrochlorid, anhydrid), 2 ml, solution inj.	100	50 mg/ml					0
PETHIDIN Sintetica (Pethidin-hydrochlorid, anhydrid), 2 ml, solution inj.	10	50 mg/ml					
PETHIDIN STREULI® (Pethidin-hydrochlorid, anhydrid) 1 ml, solution inj.	10	50 mg					

PETHIDIN STREULI® (Pethidin-hydrochlorid, anhydrid) 1 ml, solution inj.	50	50	mg/ml					0
PETHIDIN STREULI® (Pethidin-hydrochlorid, anhydrid) 1 ml, solution inj.	100	50	mg/ml					0
PETHIDIN STREULI® (Pethidin-hydrochlorid, anhydrid) 2 ml, solution inj.	5	50	mg/ml					0
PETHIDIN STREULI® (Pethidin-hydrochlorid, anhydrid) 2 ml, solution inj.	10	50	mg/ml					0
PETHIDIN STREULI® (Pethidin-hydrochlorid, anhydrid) 2 ml, solution inj.	50	50	mg/ml					0
PETHIDIN STREULI® (Pethidin-hydrochlorid, anhydrid) 2 ml, solution inj.	100	50	mg/ml					0
PETHIDIN STREULI® (Pethidin-hydrochlorid, anhydrid), supp.	10	100	mg					0
PETHIDIN STREULI® (Pethidin-hydrochlorid, anhydrid), supp.	50	100	mg					0
PETHIDIN STREULI® (Pethidin-hydrochlorid, anhydrid), compr.	20	25	mg					0
PETHIDIN STREULI® (Pethidin-hydrochlorid, anhydrid), compr.	100	25	mg					0
RAPIFEN® (Alfentanil-hydrochlorid, anhydrid), 2 ml, solution inj.	5	0.54	mg/ml					0
RAPIFEN® (Alfentanil-hydrochlorid, anhydrid), 10 ml, solution inj.	50	0.54	mg/ml					0
RITALIN® (Methylphenidat-hydrochlorid, anhydrid), compr.	30	10	mg					0
RITALIN® (Methylphenidat-hydrochlorid, anhydrid), compr.	200	10	mg					0
RITALIN® LA (Methylphenidat-hydrochlorid, anhydrid), caps.	30	20	mg					0
RITALIN® LA (Methylphenidat-hydrochlorid, anhydrid), caps.	100	20	mg					0
RITALIN® LA (Methylphenidat-hydrochlorid, anhydrid), caps.	30	30	mg					0
RITALIN® LA (Methylphenidat-hydrochlorid, anhydrid), caps.	100	30	mg					0
RITALIN® LA (Methylphenidat-hydrochlorid, anhydrid), caps.	30	40	mg					0
RITALIN® LA (Methylphenidat-hydrochlorid, anhydrid), caps.	100	40	mg					0
RITALIN® SR (Methylphenidat-hydrochlorid, anhydrid), compr. ret.	100	20	mg					0
SEVREDOL® (Morphin-sulfat, pentahydrat), compr.	20	10	mg					0
SEVREDOL® (Morphin-sulfat, pentahydrat), compr.	20	20	mg					0
SEVREDOL® (Morphin-sulfat, pentahydrat), supp.	12	10	mg					0
SEVREDOL® (Morphin-sulfat, pentahydrat), supp.	12	20	mg					0
SEVREDOL® (Morphin-sulfat, pentahydrat), supp.	12	30	mg					0
SEVRE-LONG® (Morphin-sulfat, pentahydrat), caps. retard	30	30	mg					0
SEVRE-LONG® (Morphin-sulfat, pentahydrat), caps. retard	30	60	mg					0

SEVRE-LONG® (Morphin-sulfat, pentahydrat), caps. retard	30	120	mg					0
SEVRE-LONG® (Morphin-sulfat, pentahydrat), caps. retard	30	200	mg					0
SINTENYL® (Fentanyl-citrat), 2 ml, solution inj.	10	78.5	µg/ml					0
SINTENYL® (Fentanyl-citrat), 10 ml, solution inj.	10	78.5	µg/ml					0
SPASMOSOL® (Morphini-HCL), 1 ml, solution inj.	5	13.2	mg/ml					0
SPASMOSOL® (Morphini-HCL), 1 ml, solution inj.	10	13.2	mg/ml					0
SPASMOSOL® (Morphini-HCL), 1 ml, solution inj.	50	13.2	mg/ml					0
SUBUTEX® (Buprenorphin-Base), compr. sublingual	7	0.4	mg					0
SUBUTEX® (Buprenorphin-Base), compr. sublingual	7	2	mg					0
SUBUTEX® (Buprenorphin-Base), compr. sublingual	28	2	mg					0
SUBUTEX® (Buprenorphin-Base), compr. sublingual	7	8	mg					0
SUBUTEX® (Buprenorphin-Base), compr. sublingual	28	8	mg					0
SUFENTA® (Sufentanil-citrat), 2 ml, solution inj.	5	7.5	µg/ml					0
SUFENTA® (Sufentanil-citrat), 2 ml, solution inj.	5	7.5	µg/ml					0
SUFENTA® (Sufentanil-citrat), 2 ml, solution inj.	5	75	µg/ml					0
SUFENTA® (Sufentanil-citrat), 2 ml, solution inj.	5	75	µg/ml					0
TEMGESIC® (Buprenorphin), compr. sublingual	10	0.2	mg					0
TEMGESIC® (Buprenorphin), compr. sublingual	50	0.2	mg					0
TEMGESIC® (Buprenorphin), compr. sublingual	10	0.4	mg					0
TEMGESIC® (Buprenorphin), compr. sublingual	50	0.4	mg					0
TEMGESIC® (Buprenorphin), 1 ml, solution inj.	5	0.3	mg/ml					0
TRANSTEC® (Buprenorphin) 35 ug/h, systèmes thérapeutiques transdermiques	5	20	mg					0
TRANSTEC® (Buprenorphin) 35 ug/h, systèmes thérapeutiques transdermiques	10	20	mg					0
TRANSTEC® (Buprenorphin) 52,5 ug/h, systèmes thérapeutiques transdermiques	5	30	mg					0
TRANSTEC® (Buprenorphin) 52,5 ug/h, systèmes thérapeutiques transdermiques	10	30	mg					0
TRANSTEC® (Buprenorphin) 70 ug/h, systèmes thérapeutiques transdermiques	5	40	mg					0
TRANSTEC® (Buprenorphin) 70 ug/h, systèmes thérapeutiques transdermiques	10	40	mg					0
ULTIVA® (Remifentanil-HCL), Lyophilisat	5	1	mg/ml					0
ULTIVA® (Remifentanil-HCL), Lyophilisat	5	2	mg/ml					0

